


EXITFLEX®

SWISS TECHNOLOGY

XP-R40B 1200W 40mm Combi Hammer



TECHNICAL SPECIFICATION

Rated voltage	: 220-240 V
Frequency	: 50-60 Hz
Input power	: 1200 Watts
Speed	: 250 -500rpm
Impact Energy	: 10Joules
Tool holder	: SDS Max
Weight	: 6.5 Kg.

STANDARD EQUIPMENT

SDX Max drill bit 28mm x 400mm
20mm x 400mm
Flat Chisel
Bull Point
Bottle of Grease
Screw Driver
3mm / 4mm / 5mm / Hex wrench
User guide manual
Carry case



Marketed and Serviced by:

Polymak

An Exceptional Power Tool Company

Polymak Tools (India) Pvt. Ltd.

186/187, P.H. Road, Alsa Towers,

Kilpauk, Chennai - 600 010.

Tel.: 044-26401869 / 42857841 Fax: 044-42857654

E-mail : info@polymak.co.in

Website : www.polymak.co.in

EXITFLEX[®]

SWISS TECHNOLOGY

XP-45HD-1 1200W

Demolition Hammer



TECHNICAL SPECIFICATION

Rated voltage : 220-240 V
Frequency : 50-60 Hz
Input power : 1200 Watts
Blows per min : 3000
Impact Energy : 12Joules
Tool holder : 17mm Hex
Weight : 5 Kg.

STANDARD EQUIPMENT

Hex 3mm wrench
User guide manual
Bull point chisel
Flat chisel
Bottle of grease
Screwdriver
Carry case



Double Insulation

Marketed and Serviced by:

Polymak

An Exceptional Power Tool Company

Polymak Tools (India) Pvt. Ltd.

186/187, P.H. Road, Alsa Towers,

Kilpauk, Chennai - 600 010.

Tel.: 044-26401869 / 42857841 Fax: 044-42857654

E-mail : info@polymak.co.in

Website : www.polymak.co.in

EXITFLEX®

SWISS TECHNOLOGY

XP-G55A 1500W

Demolition Hammer



TECHNICAL SPECIFICATION

Rated voltage : 220-240 V
Frequency : 50-60 Hz
Input power : 1500 Watts
Blows per min : 1000-1900
Impact Energy : 6-25 Joules
Tool holder : SDS Max
Weight : 10.4 Kg.

STANDARD EQUIPMENT

SDX Max Bull point chisel
SDX Max Flat chisel
Bottle of grease
Wrench
Screw driver
User guide manual
Carry case



Marketed and Serviced by:

Polymak

An Exceptional Power Tool Company

Polymak Tools (India) Pvt. Ltd.

186/187, P.H. Road, Alsa Towers,

Kilpauk, Chennai - 600 010.

Tel.: 044-26401869 / 42857841 Fax: 044-42857654

E-mail : info@polymak.co.in

Website : www.polymak.co.in

EXITFLEX®

SWISS TECHNOLOGY

XP-65RA 1240 W Demolition Hammer

TECHNICAL SPECIFICATION

Rated voltage	: 220-240 V
Frequency	: 50-60 Hz
Input power	: 1240 Watts
Blows per min	: 1400
Impact Energy	: 38 Joules
Tool holder	: 30mm Hex
Weight	: 15 Kg.

STANDARD EQUIPMENT

User guide manual
Bull point chisel
Flat chisel
Bottle of grease
4mm / 5mm Hex wrench
Spanner
Screw driver
Bottle of oil
Carry case

Marketed and Serviced by:

Polymak

An Exceptional Power Tool Company

Polymak Tools (India) Pvt. Ltd.

186/187, P.H. Road, Alsa Towers,

Kilpauk, Chennai - 600 010.

Tel.: 044-26401869 / 42857841 Fax: 044-42857654

E-mail : info@polymak.co.in

Website : www.polymak.co.in

EXITFLEX®

SWISS TECHNOLOGY

XP-G65BH 2000W Demolition Hammer



TECHNICAL SPECIFICATION

Rated voltage	: 220-240 V
Frequency	: 50-60 Hz
Input power	: 2000 Watts
Blows per min	: 1500
Impact Energy	: 55 Joules
Tool holder	: 28mm Hex
Weight	: 20 Kg.

STANDARD EQUIPMENT

Bull point chisel
Flat chisel
Bottle of grease
4mm /5mm Hex wrench
Spanner
Screw driver
User guide manual
Carry case



Double insulation

Marketed and Serviced by:

Polymak

An Exceptional Power Tool Company

Polymak Tools (India) Pvt. Ltd.

186/187, P.H. Road, Alsa Towers,

Kilpauk, Chennai - 600 010.

Tel.: 044-26401869 / 42857841 Fax: 044-42857654

E-mail : info@polymak.co.in

Website : www.polymak.co.in

EXITFLEX®

SWISS TECHNOLOGY

XP-G90 2200W Demolition Hammer



TECHNICAL SPECIFICATION

Rated voltage	: 220-240 V
Frequency	: 50-60 Hz
Input power	: 2200 Watts
Blows per min	: 950
Impact Energy	: 75 Joules
Tool holder	: 28mm Hex
Weight	: 32 Kg.

STANDARD EQUIPMENT

Bull point chisel
Flat chisel
Machine grease
5mm / 6mm / 8mm 12mm Hex wrench
Screw driver
User guide manual
Trolley



Double Insulation

Marketed and Serviced by:

Polymak

An Exceptional Power Tool Company

Polymak Tools (India) Pvt. Ltd.

186/187, P.H. Road, Alsa Towers,

Kilpauk, Chennai - 600 010.

Tel.: 044-26401869 / 42857841 Fax: 044-42857654

E-mail : info@polymak.co.in

Website : www.polymak.co.in